

Alco

Clips & Fasteners

Reference guide



KLEIN[®]
TOOLS



A U S T R A L I A

CONTENTS

CLIPS & SADDLES		PAGE
HALF SADDLE		3
FULL SADDLE		3
GIRDER CLIPS		4
CAVITY WALL ANCHORS		
PLASTERBOARD ANCHOR		4
HOLLOW WALL ANCHOR		5
SPRING TOGGLE ANCHOR		5
CONCRETE OR FILLED BLOCK ANCHORS		
SLEEVE BOLT ANCHOR		6
SLEEVE EYE BOLT ANCHOR		6
SCREW BOLT ANCHOR		7
WALL-FIX ANCHOR		7
NYLON WALL ANCHORS		8
NEEDLE POINT SCREWS		
BUGLE HEAD-PLASTERBOARD		9
PAN HEAD - GENERAL PURPOSE		10
HEX HEAD COACH SCREWS		11
DRILL POINT SCREWS FOR METAL		
WASHER / BUTTON HEAD		11
PANCAKE (WAFER) HEAD		12
HEX WASHER HEAD SCREWS		12
TYPE 17 POINT SCREWS FOR TIMBER		
HEX WASHER HEAD SCREWS		13
METAL THREAD SCREWS & ACCESSORIES		
STEEL ROUND HEAD		13
STEEL HEX NUTS		14
STEEL FLAT WASHERS		14

CLIPS & SADDLES

HALF SADDLE




FEATURES:

- Half saddle
- Zinc plated, mild steel

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCS12H/100	12mm Half saddle zinc plated, mild steel	100
ALCS16H/100	16mm Half saddle zinc plated, mild steel	100
ALCS20H/100	20mm Half saddle zinc plated, mild steel	100
ALCS25H/100	25mm Half saddle zinc plated, mild steel	100
ALCS32H/50	32mm Half saddle zinc plated, mild steel	50
ALCS40H/50	40mm Half saddle zinc plated, mild steel	50
ALCS50H/25	50mm Half saddle zinc plated, mild steel	25

FULL SADDLE



FEATURES:

- Full saddle
- 12mm - 50mm Zinc plated, mild steel
- 63mm - 100mm Hot dip galvanised mild steel

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCS12F/100	12mm Full saddle zinc plated, mild steel	100
ALCS16F/100	16mm Full saddle zinc plated, mild steel	100
ALCS20F/100	20mm Full saddle zinc plated, mild steel	100
ALCS25F/100	25mm Full saddle zinc plated, mild steel	100
ALCS32F/50	32mm Full saddle zinc plated, mild steel	50
ALCS40F/50	40mm Full saddle zinc plated, mild steel	50
ALCS50F/25	50mm Full saddle zinc plated, mild steel	25
ALCS63FHG/25	63mm Full saddle hot dip galvanised mild steel	25
ALCS80FHG/25	80mm Full saddle hot dip galvanised mild steel	25
ALCS100F-HG/10	100mm Full saddle hot dip galvanised mild steel	10

CLIPS & SADDLES

SPRING GIRDER CLIPS



FEATURES:

- Zinc plated
- Spring steel
- Clamps on most common I-beam sizes
- Range suits all common conduits up to 32mm

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCGC813	Spring girder clip, zinc coated steel 8-13mm	100
ALCGC1620	Spring girder clip, zinc coated steel 16-20mm	100
ALCGC2532	Spring girder clip, zinc coated steel 25-32mm	100

CAVITY WALL ANCHORS

PLASTERBOARD ANCHOR



FEATURES:

- Self drilling plasterboard anchor
- Direct fixing into plasterboard
- Able to accept screw or screw hook
- Available in two types - Nylon & Metal
- Flush head for flat finish
- Fast install and removal

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCFWMNL640	Plasterboard anchors, nylon 6g x 40mm	40
ALCFWMN640P	Plasterboard anchors, nylon 6g x 40mm	100
ALCFWMZL640	Plasterboard anchors, metal 6g x 40mm	40
ALCFWMM640P	Plasterboard anchors, metal 6g x 40mm	100

CAVITY WALL ANCHORS

HOLLOW WALL ANCHOR



FEATURES:

- All metal anchor
- Light duty
- 3 convenient sizes
- Zinc plated
- Recommended for indoor use only
- Phillips drive
- Large head for load bearing
- Barbs to prevent anchor turning

TECHNICAL DATA:

Part Number	Description	Material Thickness	Pack Size
ALCFHWA6819	Hollow wall anchor, zinc plated steel 6.8 x 19mm 10kg	8mm	50
ALCFHWA6832	Hollow wall anchor, zinc plated steel 6.8 x 32mm 10kg	12mm	50
ALCFHWA6845	Hollow wall anchor, zinc plated steel 6.8 x 45mm 10kg	24mm	50

SPRING TOGGLE ANCHOR



FEATURES:

- Toggles provide excellent load spreading
- Zinc Plated
- Recommended for indoor use only
- Phillips Drive

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCFST550	Steel spring toggles with round head screws 5 x 50mm	25
ALCFST575	Steel spring toggles with round head screws 5 x 75mm	20

CONCRETE OR FILLED BLOCK ANCHORS

SLEEVE BOLT ANCHOR



FEATURES:

- Hex flanged head - for flush finish
- Heavy Duty load anchor
- Expansion Anchor
- Friction Anchor
- Galvanised for corrosion resistance
- Fully Assembled Anchor

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCGFBAH6536	Hex head sleeve bolt anchor 6.5 x 36mm	50
ALCGFBAH840	Hex head sleeve bolt anchor 8 x 40mm	45
ALCGFBAH865	Hex head sleeve bolt anchor 8 x 65mm	25
ALCGFBAH1050	Hex head sleeve bolt anchor 10 x 50mm	20
ALCGFBAH1077	Hex head sleeve bolt anchor 10 x 77mm	15
ALCGFBAH1260	Hex head sleeve bolt anchor 12 x 60mm	10

SLEEVE EYE BOLT ANCHOR



FEATURES:

- 2m 1 Eye bolt and anchor
- Expansion Anchor
- Friction Anchor
- Fully Assembled Anchor
- Yellow Zinc
- Recommended for indoor use only

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCFBAE840	Eye Bolt sleeve Anchors YZP 8 x 40mm	20

CONCRETE OR FILLED BLOCK ANCHORS

SCREW BOLT ANCHOR



FEATURES:

- Hex flanged head
- Mech. Galvanised for protection
- Dual Thread
- Full Parallel Friction anchoring
- Forms own thread in substrate
- Screws easily and quickly into hole
- Easily removable
- Allows for close to the edge fixing

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCHSBA650	Hex Screw Bolt Anchors 6 x 50mm	30
ALCHSBA860	Hex Screw Bolt Anchors 8 x 60mm	15
ALCHSBA8100	Hex Screw Bolt Anchors 8 x 100mm	10
ALCHSBA1060	Hex Screw Bolt Anchors 10 x 60mm	10
ALCHSBA1075	Hex Screw Bolt Anchors 10 x 75mm	5
ALCHSBA10100	Hex Screw Bolt Anchors 10 x 100mm	5
ALCHSBA1275	Hex Screw Bolt Anchors 12 x 75mm	5

WALL-FIX ANCHOR



FEATURES:

- Single piece screw anchor
- Free Square drive bit included
- Large pitch thread design for quick installation
- Drill a 5mm hole in concrete/brick
- Zinc Plated
- Recommended for indoor use only

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCWFA632	Wall Fix Anchors Pan head square drive 6 x 32mm	100
ALCWFA650	Wall Fix Anchors Pan head square drive 6 x 50mm	100

CONCRETE OR FILLED BLOCK ANCHORS

NYLON WALL ANCHORS



FEATURES:

- Light Duty Friction Anchor
- Usable in various substrates
- Nylon provides insulation separation
- Only needs a small drilled hole
- 3 head styles available
- Quickdrive provides collapsible shank to provide max fastening

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCFTIM525	Nylon wall anchor, Mushroom head 5 x 25mm	50
ALCFTIM525P	Nylon wall anchor, Mushroom head 5 x 25mm	100
ALCFTIM540	Nylon wall anchor, Mushroom head 5 x 40mm	50
ALCFTIM6525	Nylon wall anchor, Mushroom head 6.5 x 25mm	50
ALCFTIM6525P	Nylon wall anchor, Mushroom head 6.5 x 25mm	100
ALCFTIM6538P	Nylon wall anchor, Mushroom head 6.5 x 38mm	100
ALCFTIM6550P	Nylon wall anchor, Mushroom head 6.5 x 50mm	100
ALCFTIR525	Nylon wall anchor, Round head 5 x 25mm	50
ALCFTIR525P	Nylon wall anchor, Round head 5 x 25mm	100
ALCFTIR538	Nylon wall anchor, Round head 5 x 38mm	50
ALCFTIR538P	Nylon wall anchor, Round head 5 x 38mm	100
ALCFTIR6525	Nylon wall anchor, Round head 6.5 x 25mm	50
ALCFTIR6538	Nylon wall anchor, Round head 6.5 x 38mm	50
ALCFTIQ530	Nylon quick drive anchor 5 x 30mm	50
ALCFTIQ645	Nylon quick drive anchor 6 x 40mm	40

NEEDLE POINT SCREWS

BUGLE HEAD PLASTERBOARD SCREWS



FEATURES:

- General Purpose screw
- Needle point for easy penetration
- Will pierce 0.8mm sheet metal
- Takes a standard #2 Phillips bit
- Good stability while driving in.
- Zinc plated
- Bugle head will not tear plasterboard

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCB620/100	Bugle head plasterboard screws Yellow Zinc Plated 6g x 20mm	100
ALCB720/100	Bugle head plasterboard screws Yellow Zinc Plated 7g x 20mm	100
ALCB720/1000	Bugle head plasterboard screws Yellow Zinc Plated 7g x 20mm	1000
ALCB725/100	Bugle head plasterboard screws Yellow Zinc Plated 7g x 25mm	100
ALCB725/1000	Bugle head plasterboard screws Yellow Zinc Plated 7g x 25mm	1000
ALCB730/100	Bugle head plasterboard screws Yellow Zinc Plated 7g x 30mm	100
ALCB730/1000	Bugle head plasterboard screws Yellow Zinc Plated 7g x 30mm	1000
ALCB735/100	Bugle head plasterboard screws Yellow Zinc Plated 7g x 35mm	100
ALCB740/100	Bugle head plasterboard screws Yellow Zinc Plated 7g x 40mm	100
ALCB745/100	Bugle head plasterboard screws Yellow Zinc Plated 7g x 45mm	100
ALCB745/500	Bugle head plasterboard screws Yellow Zinc Plated 7g x 45mm	500
ALCB850/100	Bugle head plasterboard screws Yellow Zinc Plated 8g x 50mm	100
ALCB863/100	Bugle head plasterboard screws Yellow Zinc Plated 8g x 63mm	100
ALCB875/100	Bugle head plasterboard screws Yellow Zinc Plated 8g x 75mm	100

NEEDLE POINT SCREWS

PAN HEAD SCREWS



FEATURES:

- General Purpose Screw
- Pan head - Phillips Drive
- Neat appearance
- Will pierce 0.8mm sheet metal
- Quick easy penetration
- Zinc plated

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCP620/100	Pan head needle point screws Yellow Zinc Plated 6g x 20mm	100
ALCP630/100	Pan head needle point screws Yellow Zinc Plated 6g x 30mm	100
ALCP640/100	Pan head needle point screws Yellow Zinc Plated 6g x 40mm	100
ALCP650/100	Pan head needle point screws Yellow Zinc Plated 6g x 50mm	100
ALCP712/100	Pan head needle point screws Yellow Zinc Plated 7g x 12mm	100
ALCP720/100	Pan head needle point screws Yellow Zinc Plated 7g x 20mm	100
ALCP725/100	Pan head needle point screws Yellow Zinc Plated 7g x 25mm	100
ALCP730/100	Pan head needle point screws Yellow Zinc Plated 7g x 30mm	100
ALCP740/100	Pan head needle point screws Yellow Zinc Plated 7g x 40mm	100
ALCP745/100	Pan head needle point screws Yellow Zinc Plated 7g x 45mm	100
ALCP750/100	Pan head needle point screws Yellow Zinc Plated 7g x 50mm	100

CONCRETE OR FILLED BLOCK ANCHORS

HEX HEAD COACH SCREWS



FEATURES:

- Heavy duty fixing
- Mech Galvanised for protection

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCGSHC1040	Hex head coach screws galvanised 10g x 40mm	25
ALCGSHC1050	Hex head coach screws galvanised 10g x 50mm	20
ALCGSHC1075	Hex head coach screws galvanised 10g x 75mm	15

DRILL POINT SCREWS FOR METAL

WASHER / BUTTON HEAD SCREWS



FEATURES:

- Head gives large bearing surface
- Drill point will penetrate 2.5mm Steel
- Use #2 Phillips drive bit
- Low profile head
- Zinc Plated

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCWS812/100	Washer/button head self drilling screws 8g x 12mm	100
ALCWS812/1000	Washer/button head self drilling screws 8g x 12mm	1000
ALCWS825/100	Washer/button head self drilling screws 8g x 25mm	100
ALCWS825/500	Washer/button head self drilling screws 8g x 25mm	500
ALCWS832/100	Washer/button head self drilling screws 8g x 32mm	100

DRILL POINT SCREWS FOR METAL

PANCAKE (WAFER) HEAD SCREWS



FEATURES:

- Use #2 Phillips drive bit
- Ideal for concealed fixing
- 10g for heavier loads
- Point will penetrate 2.5mm Steel
- Zinc plated
- Recommended for indoor use only

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCWF1022/100	Pancake head drill point screws YZP 10g x 40mm	100
ALCWF1030/100	Pancake head drill point screws YZP 10g x 50mm	100

METAL HEX WASHER HEAD SCREWS



FEATURES:

- Galvanised for corrosion protection
- Neo sealing washer
- Flange head gives good load bearing

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCDHMNL1610	Drill point hex washerface roof screw 10g - 16 x 16mm	100
ALCDHMNL2012	Drill point hex washerface roof screw 12g - 14 X 20mm	50
ALCDHMNL3512	Drill point hex washerface roof screw 12g - 14 X 35mm	50
ALCDHMNL5512	Drill point hex washerface roof screw 12g - 14 X 50mm	25

TYPE 17 POINT SCREWS FOR TIMBER

TIMBER HEX WASHER HEAD SCREWS



FEATURES:

- Galvanised for corrosion protection
- Neo sealing washer
- Flange head gives good load bearing

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCTHMNL2512	Type 17 point washerface roof screw 12g X 25mm	50
ALCTHMNL3512	Type 17 point washerface roof screw 12g X 35mm	50
ALCTHMNL5012	Type 17 point washerface roof screw 12g X 50mm	50

METAL THREAD SCREWS & ACCESSORIES

STEEL ROUND HEAD SCREWS



FEATURES:

- Machine screws
- Round Combination Head
- Zinc Plated
- Flat or phillips drive

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCSMR5321	Steel machine screws round combi zinc 5/32" X 1"	200
ALCSMR532114	Steel machine screws round combi zinc 5/32" X 1.1/4"	100
ALCSMR532112	Steel machine screws round combi zinc 5/32" X 1.1/2"	100
ALCSMR5322	Steel machine screws round combi zinc 5/32" X 2"	100
ALCSMR3161	Steel machine screws round combi zinc 3/16" X 1"	200
ALCSMR316112	Steel machine screws round combi zinc 3/16" X 1.1/2"	100
ALCSMR3162	Steel machine screws round combi zinc 3/16" X 2"	50

METAL THREAD SCREWS

STEEL HEX NUTS



FEATURES:

- General purpose hex nut
- Zinc plated

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCSHN532	Steel Hex Nuts Zinc plated 5/32"	200
ALCSHN316	Steel Hex Nuts Zinc plated 3/16"	200

STEEL FLAT WASHERS



FEATURES:

- General purpose washer
- Zinc plated

TECHNICAL DATA:

Part Number	Description	Pack Size
ALCSFW532	Steel Flat washers zinc plated 5/32"	200
ALCSFW316	Steel Flat washers zinc plated 3/16"	200

Alco

Customer Service

Phone: 1300 300 747

Fax: 1300 300 047

www.wattmaster.com.au

Your local agent or distributor



South Australia
24-34 Dorset Street, Lonsdale,
South Australia, 5160, Australia
Phone: (08) 8186 0000



A U S T R A L I A

Victoria
54 Lakewood Boulevard,
Carrum Downs, Victoria, 3201, Australia
Phone: (03) 9775 1186
Email: salesvic@kleintools.com.au